UNCLASSIFIED

AD NUMBER ADB190349 NEW LIMITATION CHANGE TO

Approved for public release, distribution unlimited

FROM

Distribution: DTIC users only.

AUTHORITY

Air Force Materiel Command, PAX ltr., dtd May 25, 2000, signed by Security and Policy Review, Office of Public Affairs.

THIS PAGE IS UNCLASSIFIED

3719


UNCLASSIFIED FOUO

AD-B190 349

REPORT of

THE ARMY AIR FORCES BOARD

MASTER FILE





SUBJECT

HANDBOOK OF SIGNS AND SYMBOLS USED IN INTERPRETATION AND

ANNOTATION OF AERIAL PHOTOGRAPHS

PROJECT No 3719A461.

DATE

COPY No.

65

94-27331

28 September 1944

DTIC QUALITY INSPECTED 5

94 8 25

1 OGNICATED

FOR INFORMATION ONLY

REASH FOLED

THE ARMY AIR FORCES BUARD Orlando, Florida

28 September 1944

ARMY AIR FORCES BOARD PROJECT NO. 3719A461

HANDBOOK OF SIGNS AND SYMBOLS USED IN INTERPRETATION AND ANNOTATION OF AERIAL PHOTOGRAPHS

1. OBJECT.

The object of this study is to prepare, for purposes of standardization, a list of signs and symbols used in the interpretation of aerial photographs, and to consider the use of annotation symbols printed on gummed acetate in photographic interpretation.

2. FACTUAL ELEMENTS.

- a. The project was initiated by letter to the President, Army Air Forces Board, from Headquarters, Army Air Forces, subject "Initiation of project for standardization of signs and symbols used in interpretation and annotation of aerial photographs". dated 30 June 1944.
- b. A wide variety of signs and symbols are in use in the theaters of war among units of the United States Forces, and a definite need exists for one standard list to be adopted for use by all United States Forces throughout the world.
- c. A seven (7) day conference was called by the Army Air Forces Board on 11 September 1944 for the purpose of compiling a single list of symbols which would fulfill requirements for United States forces and provide standardization. The following officers were in attendance:

Major Audobon Tyler, Reconnaissance 1 .nch, Requirements Division, AC/AS, OC&R, Headquarters, Army Air Forces, Washington, D. C.

Major E. L. King, Photographic Division, AC/AS, Intelligence, Headquarters, Army Air Forces, Washington, D. C.

Major Frank S. Savage, Tactics Division, Army Air Forces Board, Orlando. Florida.

Captain F. W. Galbraith, Intelligence School, AAFSAT, AAFTAC, Orlando, Florida.

It. A. G. Hutchins, Military Intelligence Training Center, Camp Ritchie, Maryland.

Ensign J. T. Bill, Photographic Interpretation Center, Division of Naval Intelligence, Chief of Naval Operations, Anacostia, D. C.

REALASSIEIED

As a result of this conference a list of symbols and certain recommendations were determined.

3. CONCLUSIONS .- It is concluded that:-

- a. The set of symbols presented as Inclosure 2 is the most desirable for use in photographic interpretation by United States Forces.
- b. These symbols should not be distributed in a separate handbook, but should be included in publications as mentioned under recommendations.
- c. The use of annotation symbols printed on gummed acetate is not desirable.

4. RECOMMENDATIONS .- It is recommended that:-

- a. The set of symbols presented as Inclosure 2 be submitted for approval to the Joint Chiefs of Staff, and if approved, be issued for use by all United States Forces whenever symbols are used in the annotation of aerial photographs or the preparation of overlays, terrain models, or map substitutes from photographic interpretation information.
- b. This set of symbols be distributed to the using agencies in the following manner: .
 - (1) As an annex to FM 21-30, "Conventional Signs, Military Symbols, and Abbreviations".
 - (2) As a part of the "Photographic Interpretation Handbook-United States Forces", a joint Army-Navy publication.
- c. These symbols, if approved for use by the Joint Chiefs of Staff, immediately be adopted for the training of photographic interpreters for the Army Air Forces, Army Ground Forces and United States Navy.
- d. Before future additions or changes to these symbols are adopted for general use, they be submitted for approval to the Joint Intelligence Committee, Joint Chiefs of Staff, to insure standardization at all times throughout the United States armed services.
- e. Investigation be made of the provision of an acetate templet such as suggested in Inclosure 3, containing the principal geometric forms presented in the attached list of symbols in the several sizes needed, for use as a drafting aid to photographic interpreters.

5. DISCUSSION:

a. The presence of different sets of symbols for use in photographic interpretation in adjacent or cooperating theaters has created an unnecessary confusion in the registration of photographic information for distribution. In addition it has created difficulty in the forming of joint services interpretation teams because of the variety of symbols which the several services

Mave had in use. The Intelligence Schools, because of the existence of these unrelated lists of symbols in the theaters, have been forced to instruct their students in the use of all lists, with subsequent confusion arising in the training given to photographic interpretation students.

- b. In the compiling of the list of symbols presented in this report, requirements of the Army Air Forces, Army Ground Forces, United States Navy, and Marine Corps were considered. Symbols from twelve (12) agencies among these services were brought under consideration to provide a thorough cross section of the numerous series of symbols which have developed in the conduct of operations in this war.
- The preparation of annotation symbols on gummed acetate for the use of interpreters in the field is not favorably considered by the Army Air Forces Board. The use of symbols prepared in this manner for photographic interpretation would entail an unnecessary amount of added material in the interpreter's equipment, if symbols were to be provided in the several scales necessary to agree with the scale of photographs being interpreted. The use of these gummed acetate symbols would provide no substantial time-saving element in interpretation work. The adoption and distribution of symbols on gummed acetate to the various theaters would, in addition, entail procurement and final distribution difficulties which are not commensurate with the benefits which might be gained. Of the interpreters questioned on the relative values of this method of annotating photographic information, only a small minority regarded the system as of possible value.
- d. The use of symbols prepared in rubber stamp form is not recommended by the Army Air Forces Board for the same reasons; however, the provision of clear acetate templet sets, containing the principal geometric forms presented in the attached list of symbols and furnished in the several sizes needed, would provide a meterial drafting aid and insure uniformity and clarity of symbol annotation. It is not believed necessary to provide these basic forms in more than three (3) progressive sizes. The templet can be used to advantage for annotating photographs in conjunction with a Leroy lettering pen.

6. INCLOSURES:

- 1. Copy of directive from Hq, AAF, Washington, D. C., dated 30 June 1944.
- 2. Signs and symbols for use in photographic interpretation.
- 3. Symbol templet.

PREPARED BY:

S#5561-3

FRANK S. SAVACE, Major, AC. Tactics Division, AAF Board.

RESTRICTED

CONCURRED IN BY:

- H. G. MONTGOMERY, Colonel, AC, Chief, Tactics Division, AAF Board.
 M. J. COFFIEID, Colonel, AC, Chief, Policy Division, AAF Board.
 E. H. RICE, Colonel, AC, Chief, Equipment Division, AAF Board.
 A. F. SHEA, Colonel, AC, Executive, AAF Board.

APPROVED:

For the Army Air Forces Board:

E. L. EUBANK Brigadier General, U.S.Army President

OFFICIAL:

Lt. Col., AGD Recorder

DISTRIBUTION "B"

AAFBd Project No. 3719A461

HEADQUARTERS, ARMY AIR FORCES Washington

30 June 1944

SUBJECT: Initiation of Project for Standardization of Signs and Symbols Used in the Interpretation and Annotation of Aerial Photographs.

TO: The President

Army Air Forces Board Orlando, Florida

- 1. It is requested that a project be initiated by the Army Air Forces Board to standardize and publish in handbook form the accepted signs and symbols currently used by the American armed forces in the interpretation and annotation of aerial photographs.
- 2. There exists at present a wide variety of such signs and symbols which differ in the various theaters.
- 3. It is requested that in connection with this project, investigations be made regarding the feasibility of printing these standardized signs and symbols on some type of gummed acetate to facilitate their use in the field of operations.
- 4. It is also requested that this project be given a No. 2 priority and that prior to publication, proper coordination be made with this office.
- 5. It is believed that qualified personnel in the Research and Analysis Division, Intelligence Department, Army Air Forces School of Applied Tactics, are capable of assisting in the preparation of this project.

By command of General ARNOLD:

/s/ R. H. Macklin
For H. A. CRAIG
Major General, U. S. Army
Asst. Chief of Air Staff
Operations, Commitments &
Requirements.

Inclosure #1.

SIGNS AND SYMBOLS FOR USE IN PHOTOGRAPHIC INTERPRETATION

UNIDENTIFIED	(?)	LIGHT	Ċ
WEAPONS		SELF PROPELLED	•
ANTI AIRCRAFT		COAST DEFENSE	
HEAVY	•	SUPER HEAVY	Ħ
AUTOMATIC	•	HEAVY	Ħ
LIGHT	,	MEDIUM	Ħ
MACHINE GUN	0	LIGHT	ф
DUAL PURPOSE	DUP	HOWITZER `	
SELF PROPELLED	ı	SUPER HEAVY	点
RAILWAY		HEAVY	典
SHIP	व	MEDIUM	具
TOWER	χ	LIGHT	Д
ANTI TANK		FIELD ARTILLERY	
HEAVY	*	HEAVY	
MEDIUM	‡	MEDIUM	Ė
INCLOSURE 2			RAFTING SECTION

INCLOSURE 2

AAF BOARD DRAFTING SECTION

SIGN	NS AND	SYMBOLS	(Contd)
LIGHT	Ċ	VEHICLE, ARMORED	ı∳I
SELF PROPELLED	•	VEHICLE, MOTOR	1
HOWITZER		BATTERY, NO. OF GUNS	•4
HEAVY	<u></u>	(Numeral on right side of appropriate gun sym- bol indicates number of pieces in battery)	
MEDIUM	点	CALIBER	105
LIGHT	Д	(Numeral on left side of appropriate gun symbol indicates caliber of plece in millimeters)	
MACHINE GUN		WEAPON OR EMPLACE- MENT DESTROYED	0 8 8 8 8
HEAVY	←→	WEAPON, DUMMY	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
LIGHT	->	WEAPON, DOUBTFUL	?
FIELD OF FIRE	<	EMPLACEMENTS	
MORTAR	ф	(If the type of material util- ized in the construction of the emplacement can be	
, MORTAR, BARRAGE	43	determined, the appropri- ate "MATERIAL INDEX" will be added beneath the symbol.)	
RAILWAY GUN	····	MATERIAL INDEX	
RAILWAY GUN On Turn-Table		C-concrete L-log M-masonry W-wood S-steel E-earth	
ROCKET PROJECTOR, SINGLE	ф	BUNKER	
ROCKET PROJECTOR, MULTIPLE	#	CASEMATE OR Blockhouse	

SIGNS AND SYMBOLS (Cont'd)			
EMPLACEMENT, EMPTY		TRENCH, w/firing bays	ı
EMPLACEMENT, COVERED		TRENCH, FIRE	ww
(Example - 4 Gun,240mm heqvy coast defense Battery in covered con	الله	WEAPONS PIT (INFANTRY)	*
crete emplace ments)		OBSTACLES	
FIRE CONTROL CENTER		(If the type of material utilized in the construction of the obstacle can	
FIRE CONTROL RADAR	♣	be determined, the ap- propriate MATERIAL INDEX will be added	
FIRE CONTROL VISUAL	ф	beneath the symbol.)	
FOXHOLE	•	ANTI-TANK BARRIER	ممثمم
(If in quantity, outline area and annotate : FOXHOLES)		ANTI-TANK DITCH	
OBSERVATION POST	\$	ANTI-TANK DITCH, COVERED	
OBSERVATION POST, ARTILLERY	\$	BARRAGE BALLON	Ø
OBSERVATION TOWER	∆	DEMOLITION CHARGE	←-60
PILLBOX (Axis of Gun indicates direction of fire)		OBSTACLES, FIXED	:/**/*/-:
SHELTER		OBSTACLES, FIXED IN WATER	:\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
STRONG POINT	(SP)	OBSTACLES, MOVABLE	жжжж
TRENGH, COMMUNICATION	~~~	obstacles, movable in water	KKKK

SIGNS AND SYMBOLS (Cont'd.)			
ROAD BLOCK, DEMOLITION	⇒ ⊭	COMMAND POST	G.
ROAD BLOCK, Partial	*	COMMAND POST AREA	(2)
ROAD BLOCK, TOTAL	*	MILITARY OCCUPATION	MILITARY AREA
MINES	000000	NEW CONSTRUCTION	U/C
MINED AREA, LAND	MINED AREA	PARK, ARMORED (Outline area, indicate type, where possible, and show numerically the	1. A.F.(V)
MINED AREA, WATER	MINED AREA	show numerically the number of vehicles.)	,
MINEFIELD GAP	2//2	PARK, ENGINEER EQUIPMENT	ENG
WIRE, BROAD AREA (Base of symbol indi- cates location of first	xxxxxx	(Outline area and indicate type where possible.)	
strand. Depth of zone, in feet, is indicated by numerols.)		PARK, MOTOR (Outline area, indicate type where possible, and show numerically the	M/T 28
WIRE, CONCERTINA — SINGLE	æ	show numerically the number of vehicles.)	
WIRE, CONCERTINA — DOUBLE	*******	PARK, ORDNANCE (Outline area, indicate type where possible, and	ORD
WIRE, SINGLE FENCE	-x -x -	show numerically the number of pieces.)	
WIRE, DOUBLE FENCE	** **	STORES, AREA (Area of stores to be inclosed in a solid ring.)	
MILITARY AREAS		AMMUNITION	1
BARRACKS AREA	BARRACKS AREA	BURIED	9
BIVOUAC AREA	BIVOUAC	COAL	

SIGNS AND SYMBOLS (Control)			
ENGINEER	E	BUILDING, REVETTED	
LOOSE	##	CABLE	CABLE
LUMBER		CABLE, BURIED	CADLE
OIL OR GAS	T	CANAL	CANAL
WATER	•	CEMETERY	ŒM
TENT, AREA	I I I I I I I I I I I I I I I I I I I	CLIFF	
TENT	Ø	CLIFF, ROCKY	The state of the s
TERRAIN FEATURES		CHURCH	i
BLAST WALL (Line conforms to shape of installation protected.)		CULYERT	#
RETAINING WALL	millim	CUT	
BRIDGE (Indicate width in feet and constructional	>* ←	DAM	The
material by MATERIAL INDEX.)		DIRECTION OF FLOW	
BRIDGE, OUT	≯ ⊭	DRAINAGE DITCH .	
BRIDGE, PONTOON	*	EXCAVATION	
BUILDING, BURIED		FILL	
BUILDING, DUG-IN		FLOOD GATE	===

- BUILDING UNDER CONSTRUCTION (SEE PAGE 7)

SIG	SIGNS AND SYMBOLS (Contid.)			
FORD	<i>#</i>	ROAD, PRIMARY [Show number of lanes in figures. (Minimum width	===	
HOSPITAL	5.3	of I lane is 8')]		
LAKE		ROAD, SECONDARY [Show number of lanes in figures. (Minimum width		
LAKE, DRY	DRY LAKE)	of I lane is 8')]		
rock	===	SAND DUNES	80	
LOCK, DOUBLE	-	SCHOOL	8CH	
PATH OR TRAIL	TRAIL	SPRING	9	
PIPELINE, BURIED	****	STONE FENCE	ecescaes	
PIPELINE, OVERHEAD	77777			
PIPELINE, SURFACE		STREAM, BED	morthmetry at the annual to	
RAILROAD Double Track	####	STREAM, INTERMITTENT	*\	
RAILROAD ELECTIFIED	ELECTRIFIED	TANK, BUILLED	0	
RAILROAD, NARROW GUAGE	4+4+4+	TANK, FARM	TANK FARM	
RAILROAD, SINGLE TRACK	+++++	TANK, FUEL	•	
RIDGE LINE	`	YANK, GASOMETER		
RIVER OR STREAM	M	TANK, WATER	(W)	

SIGNS AND SYMBOLS (Cont'd.)			
BUILDING, UNDER CON-	[ME] •	SWAMP OR Marsh	1864 1864 1864 1864 1864 1864 1864 1864
TOWER, UNSPECIFIED OR OBSTRUCTION	٨	TREE	Q
TOWER, WATER	†	(Areas containing the above, or other types of vegitation should be outlined and annotated with	
UNDERGROUND ENTRANCE	===#	the type indicated.)	
VEGETATION		SLOPE	²⁴ 111111111111111111111111111111111111
BRUSH	BRUSH	FALLS OR RAPIDS	FALLS
CONIFEROUS FOREST		WELL	OMET
DECIDUOUS FOREST	S08	WELL DERRICK	A
GRASSLAND	Why why while	WINDMILL	*
MANGROVE	MANGROVE	ELECTRONICS	
ORCHARD OR PLANTATION	000 000	DIRECTION FINDER	¥
PALMS	III	POWER STATION	X
RAIN FOREST OR JUNGLE	0000	POWER TRANSMIS- SION LINE	***
RICE FIELD	KIKK	RADAR	~ \
STUMP LAND	T T T T	RADIO NAVIGATIONAL AID	x
SWAMP FOREST	000	RADIO STATION	Ж


SIG	NS AND	SYMBOLS	(Cont'd.)
RADIO TRANSMITTER	+	BEACHES	and a season
SEARCHLIGHT	E	LOCATION & EXTENT	
SEARCHLIGHT, RADAR CONTROLLED	Em	CENTER	
SOUND LOCATOR	C	GRADIENT	% OR RF
TOWER, CONTROL	#	LEFT FLANK (FROM SEA)	P====
TOWER, LIGHT	*	RIGHT FLANK (FROM SEA)	RED MEACH RED MEACH &
TOWER, RADIO	٨	BEACH MATERIAL	·
TOWER, SIGNAL	K	BLOCK OR BOULDER	Paris
TELEPHONE OR TELEGRAPH LINE	TTT		Sould the state of
TRANSFORMER STATION	#	CORAL HEAD, AREA	CORAL
WEATHER STATION	#		
NAVAL AND HYDROGRAPHY		CORAL HEAD ISOLATED	0
ANCHORAGES			
SHIP	+	GRAVEL	
SHIP, EMERGENCY	ľ		(egg)
SHIP, W/COMPLETE FACILITIES	(1)		

SIGNS AND SYMBOLS (Cont'd)				
KELP OR Seaweed	7	LIGHTSHIP	*	
	·	LIGHT, UNSPECIFIED	*	
MUD		CRANE	₽~	
	190	DANGERS	·	
ROCK	The state of the s	DANGER, AREA		
	Pochary.	ROCK, AWASH	*	
SAND		ROCK, SUNK	+	
	(Free)	WRECK, AWASH		
SHELL		WRECK, SUNK	+++	
		DREDGE		
SHINGLE		DRY-DOCK	Ĭ	
	R. F. F. L.	DRY-DOCK, FLOATING	0	
BOUYS AND LIGHTS		MARINE, RAILWAY	-	
BOUY, BELL. (Etc.)	♦ BEIL	NET, SUBMARINE	*****	
BOUY, LIGHTED	*	NET, TORPEDO	#-#- # ##	
BOUY, UNSPECIFIED	\Diamond			

SIGNS AND SYMBOLS (Cont'd.)				
OFFSHORE		TIDES AND CURRENTS		
BOTTOM MATERIAL		EBB	2 KN	
BLOCK OR BOULDER	BOULPER	FLOOD	2 KN→	
GRAVEL	GRAVEL	GENERAL	*** *	
MUD	MUD	VESSELS		
ROCK	ROCK	MERCHANT [Indicate type by J.M.S.T." code designation (See	0	
SAND	SAND	P.I. Handbook.)]		
SHELL	EMELL	NAVAL [Indicate type by	0	
CONTOURS (RATHOMS UNIESS OTHERWISE INDICATES)	6	[Indicate type by standard U.S. Navy designations (See P.I. Handbook.)]		
DANGER LINE	····3′····	WAVE AND SURF CONDITIONS		
SOUNDINGS (IN PATHONS)	6	BREAKERS		
REEFS, BARS, AND SHOALS		SURF LINE	San Jac	
EDGE OF CORAL REEF	Education	[Additional symbols and abbreviations for Hydrographic designations should con-		
EDGE OF ROCK REEF	human	form to those published in H.O. *8]		
EDGE OF SAND Bar	SAND	AIRFIELDS AND SEAPLANE BASE		
		AIRCRAFT	+	

SIG	NS AND	SYMBOLS	(Cont'd.)
	- L	1	Allerman
AIRCRAFT, DAMAGED		CLOUD OBSCURED	CLOUD
AIRCRAFT, DUMMY	个	SMOKE OBSCURED	S MOKE
AIRCRAFT, REVETMENT		BUILDING	
AIRCRAFT, REVETMENT UNDER CONSTRUCTION		DAMAGED (Large Scale)	
AIRCRAFT, SHELTER	\bowtie	DAMAGED (Small Scale)	
AIRFIELD	\Diamond	DESTROYED	
LANDING GROUND	\Diamond	BOMB BURST	•
SEAPLANE ANCHORAGE)	BOMB BURST, AREA OF FRAGMENTATION	
SEAPLANE ANCHORAGE, EMERGENCY	اع	FIRE LOCATION	*
SEAPLANE, BASE	9	LINE OF FLIGHT	
SEAPLANE, RAMP	٦	NADIR POINT	\Phi
DAMAGE ASSESS- MENT, & BOMB PLOT	•		
AREA			
CLEARANCE AND RECONSTRUCTION	[U/C]		
DAMAGED			
DEVASTATED	OR CO		

AAF BOARD DRAFTING SECTION



SYMBOL TEMPLET



DEPARTMENT OF THE AIR FORCE

HEADQUARTERS AIR FORCE MATERIEL COMMAND WRIGHT-PATTERSON AIR FORCE BASE OHIO

MEMORANDUM FOR HQ AFMC/HO
ATTENTION: DR. WILLIAM ELLIOTT

FROM: HQ AFMC/PAX

4 5 MAY 2008

SUBJECT: Security and Policy Review, Case AFMC 95-276

1. The reports listed in Attachment 1 were reviewed for security and policy IAW AFI 35-205 (now AFI 35-101), and were cleared for public release. According to our logs, the material was reviewed by HQ AFMC/PA and by SAF/PAS. It was our case number AFMC 95-276, and Air Staff's number SAF/PAS 95-0995. It was cleared for public release 22 Nov 95. All the material is releasable to the public, without restriction.

2. If you have any questions or comments, please call me at 77828. Thanks.

Security and Policy Review
Office of Public Affairs

Attachment:

1. HQ AFMC/HO Ltr 12 Oct 95

Mich 3